

Extra Refrigerant Charge

R-454B Units

(Line set 50 feet long or less)

DCA650Y

Liquid Inlet 0.375" O.D.
Hot Gas Outlet 0.625" O.D.

w/ LORC-1 -	5 lbs.
LORC-1.5 -	6 lbs.
LORC-2 -	7 lbs.
LORC-3 -	11 lbs.
ORC-090 -	11 lbs.

DCA900Y

Liquid Inlet 0.375" O.D.
Hot Gas Outlet 0.625" O.D.

w/ LORC-3 -	11 lbs.
LORC-4 -	12 lbs.
ORC-090 -	11 lbs.
ORC-140 -	11 lbs.

DCA1500Y

Liquid Inlet 0.5" O.D.
Hot Gas Outlet 0.75" O.D.

w/ LORC-4 -	15 lbs.
LORC-5 -	17 lbs.
LORC-5-850 -	17 lbs.
LORC-5R-850 -	17 lbs.
LORC-8-850 -	25 lbs.
ORC-140 -	13 lbs.
ORC-200 -	28 lbs.

DCA2000Y

Liquid Inlet 0.5" O.D.
Hot Gas Outlet 0.75" O.D.

w/ LORC-5 -	17 lbs.
LORC-5R-850 -	17 lbs.
LORC-8 -	25 lbs.
LORC-8-850 -	25 lbs.
LNQ-S01-A005-10 -	22 lbs.
ORC-200 -	28 lbs.
ORC-250 -	28 lbs.
ORC-300 -	35 lbs.

DCA2500Y

Liquid Inlet 0.5" O.D.
Hot Gas Outlet 0.875" O.D.

w/ LORC-8 -	26 lbs.
LORC-8-850 -	26 lbs.
LORC-10 -	30 lbs.
LORC-10-850 -	30 lbs.
LNQ-S01-A005-10 -	22 lbs.
ORC-250 -	28 lbs.
ORC-300 -	36 lbs.
ORC-330 -	36 lbs.

DCA3000Y

Liquid Inlet 0.625" O.D.
Hot Gas Outlet 0.875" O.D.

w/ LORC-8 -	28 lbs.
LORC-8-850 -	28 lbs.
LORC-10 -	33 lbs.
LORC-10-850 -	33 lbs.
LORC-12 -	32 lbs.
LORC-14-850 -	40 lbs.
LNQ-S01-A005-10 -	25 lbs.
LNQ-S01-A006-10 -	31 lbs.
LNQ-S01-A006-10 -	25 lbs.
ORC-300 -	39 lbs.
ORC-330 -	39 lbs.

DCA3300Y

Liquid Inlet 0.625" O.D.
Hot Gas Outlet 0.875" O.D.

w/ LORC-8 -	28 lbs.
LORC-10 -	33 lbs.
LORC-10-850 -	33 lbs.
LORC-12 -	32 lbs.
LORC-12-850 -	32 lbs.
LORC-14-850 -	40 lbs.
LNQ-S01-A005-10 -	25 lbs.
LNQ-S01-A006-10 -	31 lbs.
LNQ-S01-A006-10 -	25 lbs.
ORC-300 -	39 lbs.
ORC-330 -	39 lbs.

DCA3600Y

Liquid Inlet 0.625" O.D.
Hot Gas Outlet 1.125" O.D.

w/ LORC-10 -	33 lbs.
LORC-10-850 -	33 lbs.
LORC-12 -	33 lbs.
LORC-12-850 -	33 lbs.
LORC-16-850 -	51 lbs.
LNQ-S01-A006-10 -	32 lbs.
LNQ-S01-A006-10 -	26 lbs.
ORC-330 -	39 lbs.

DCA4100Y

Liquid Inlet 0.625" O.D.
Hot Gas Outlet 1.125" O.D.

w/ LORC-10 -	33 lbs.
LORC-12 -	33 lbs.
LORC-12-850 -	33 lbs.
LORC-14 -	41 lbs.
LORC-14-850 -	41 lbs.
LORC-16 -	51 lbs.
LORC-21-850 -	48 lbs.
LNQ-S01-A006-10 -	32 lbs.
LNQ-S01-A008-10 -	32 lbs.

DCA4800Y

Liquid Inlet 0.75" O.D.
Hot Gas Outlet 1.125" O.D.

w/ LORC-12 -	36 lbs.
LORC-12-850 -	36 lbs.
LORC-14 -	43 lbs.
LORC-14-850 -	43 lbs.
LORC-16-850 -	54 lbs.
LORC-21 -	51 lbs.
LORC-21-850 -	51 lbs.
LNH-S01-A009-10 -	35 lbs.
LNQ-S01-A008-10 -	35 lbs.
LNQ-S02-A010-10 -	30 lbs.

DCA5500Y

Liquid Inlet 0.875" O.D.
Hot Gas Outlet 1.125" O.D.

w/ LORC-12 -	38 lbs.
LORC-14 -	46 lbs.
LORC-16 -	57 lbs.
LORC-16-850 -	57 lbs.
LORC-21 -	54 lbs.
LORC-21-850 -	54 lbs.
LORC-23-850 -	54 lbs.
LNL-S02-A010-10 -	33 lbs.
LNQ-S01-A008-10 -	38 lbs.
LNQ-S02-A010-10 -	33 lbs.

DCA6500Y

Liquid Inlet 0.875" O.D.
Hot Gas Outlet 1.125" O.D.

w/ LORC-14 -	46 lbs.
LORC-16 -	57 lbs.
LORC-21 -	54 lbs.
LORC-21-850 -	54 lbs.
LORC-23 -	54 lbs.
LORC-26-850 -	67 lbs.
LNH-S01-A009-10 -	38 lbs.
LNH-S02-A011-10 -	33 lbs.
LNQ-S01-A008-10 -	38 lbs.
LNQ-S02-A010-10 -	33 lbs.
LNQ-S02-A013-10 -	42 lbs.

DCA7000Y

Liquid Inlet 0.875" O.D.
Hot Gas Outlet 1.375" O.D.

w/ LORC-16 -	58 lbs.
LORC-21 -	55 lbs.
LORC-21-850 -	55 lbs.
LORC-26 -	68 lbs.
LORC-26-850 -	68 lbs.
LNH-S01-A009-10 -	38 lbs.
LNL-S02-A010-10 -	34 lbs.
LNQ-S02-A010-10 -	34 lbs.
LNQ-S02-A013-10 -	43 lbs.

DCA8000Y (dual circuit - A and B)**Liquid Inlet A/B 0.625" O.D. / 0.625" O.D.****Hot Gas Outlet A/B 1.125" O.D. / 1.125" O.D.**

w/ LORC-21-	28 lbs. each circuit
LORC-23 -	28 lbs. each
LORC-26 -	35 lbs. each
LORC-26-850 -	35 lbs. each
LNH-S02-A015-10 -	23 lbs. each
LNL-S02-A010-10 -	18 lbs. each
LNK-S02-A010-10 -	18 lbs. each
LNK-S02-A013-10 -	23 lbs. each
LNK-S02-A015-10 -	27 lbs. each
LNK-S03-A020-10 -	26 lbs. each

DCA9000Y (dual circuit - A and B)**Liquid Inlet A/B 0.75" O.D. / 0.75" O.D.****Hot Gas Outlet A/B 1.125" O.D. / 1.125" O.D.**

w/ LORC-23 -	31 lbs. each circuit
LORC-26 -	38 lbs. each
LNH-S02-A015-10 -	26 lbs. each
LNH-S02-A017-10 -	30 lbs. each
LNL-S02-A014-10 -	26 lbs. each
LNK-S02-A013-10 -	26 lbs. each
LNK-S02-A015-10 -	30 lbs. each
LNK-S03-A020-10 -	29 lbs. each

DCA11000Y (dual circuit - A and B)**Liquid Inlet A/B 0.875" O.D. / 0.875" O.D.****Hot Gas Outlet A/B 1.125" O.D. / 1.125" O.D.**

w/ LORC-26 -	41 lbs. each circuit
LNH-S02-A017-10 -	33 lbs. each
LNL-S03-A021-10 -	32 lbs. each
LNK-S02-A013-10 -	28 lbs. each
LNK-S02-A015-10 -	33 lbs. each
LNK-S03-A020-10 -	32 lbs. each

DCA14000Y (dual circuit - A and B)**Liquid Inlet A/B 0.875" O.D. / 0.875" O.D.****Hot Gas Outlet A/B 1.375" O.D. / 1.375" O.D.**

w/ LNH-S02-A017-10 -	33 lbs. each circuit
LNL-S02-A016-10 -	33 lbs. each
LNL-S03-A021-10 -	32 lbs. each
LNL-S03-A024-10 -	38 lbs. each
LNK-S03-A020-10 -	32 lbs. each
LNK-S03-A023-10 -	38 lbs. each

For remote condensers not listed on this chart please contact factory at 262-377-7501